



For reference only. See data sheet for the detailed specifications.

Technical Specification




EIA WC to WR	WC94 to WR90
Frequency Range(GHz)	8.49 – 11.60
Circular WG Size(mm/inch)	23.825/0.94
Insertion Loss(dB)	0.1 Max.
VSWR	1.10:1 Max.
WR90 Flange	FBM100(PBR100)
WC94 Flange	FBP100-M(UBR100-M)
Material	Al
Finish	Chemical Conversion Coating, Gray Paint
Size(mm)	101.6 x 41.4 x 41.4
Net Weight(Kg)	0.18 Around


Outline Drawing (Size: mm)



Flange Outline Drawing (Size: mm)



FBP100



FBP100-M

AINFO Inc.

Page 2 of 3

China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA : Tel: (+1) 949-639-9688,


(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608

Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Test Results

Insertion Loss



VSWR

