


Technical Specification



EIA WR	WR15
Frequency Range(GHz)	50.0 - 75.0
Band Width	Full
Insertion Loss(dB)	1.0 Max. (Not including the theoretical loss 3.0dB)
VSWR	1.3:1 Typ.
Amplitude Balance(dB)	±0.4 Max.
Phase Balance(°)	±3 Max.
Flange	FUGP620(UG-385/U)
Material	Cu
Size(mm)	25.4 x 25.4 x 20.3
Net Weight(Kg)	0.1 Around

Outline Drawing (Size: mm)



AINFO Inc.

Page 1 of 4

China(Beijing):
China(Chengdu):
USA :


Tel: (+86) 10-6266-7326,
Tel: (+86) 28-8519-2786,
Tel: (+1) 949-639-9688,

(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608

Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Flange Drawing (Size: mm)



FUGP620
(equivalent to UG-385/U)

AINFO Inc.

Page 2 of 4


China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA: Tel: (+1) 949-639-9688,

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068
(+1) 949-639-9608 Fax: (+1) 949-639-9670


Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Test Results

1. Insertion Loss(Including the theoretical loss 3.0dB)



2. VSWR



AINFO Inc.

Page 3 of 4

China(Beijing):
China(Chengdu):
USA :


Tel: (+86) 10-6266-7326,
Tel: (+86) 28-8519-2786,
Tel: (+1) 949-639-9688,

(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608

Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com

3. Amplitude Balance



4. Phase Balance

