



Technical Specification



EIA WR	WR650
Frequency Range(GHz)	1.12 – 1.70
VSWR	1.20:1 Max.
Average Power(W)	5500 CW
Peak Power(KW)	5500
Flange	FDP14(UDR14)
Material	Al
Size(mm)	977.2 x 816 x 579.6
Net Weight(Kg)	150.0 Around

Outline Drawing (Size: mm)



AINFO Inc.

Page 1 of 3

China(Beijing):
 China(Chengdu):
 USA :


Tel: (+86) 10-6266-7326,
 Tel: (+86) 28-8519-2786,
 Tel: (+1) 949-639-9688,

(+86) 10-6266-7327
 (+86) 28-8519-3044
 (+1) 949-639-9608

Fax: (+86) 10-6266-7379
 Fax: (+86) 28-8519-3068
 Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
 Email: sales@ainfoinc.com

Flange Drawing (Size: mm)



FDP14

Packaging List

NO.	P/N	Description	Qty.
1	650WHPL5500	WR650 Waveguide High Power Load	1pc
2	-	Power Cord	1pc

AINFO Inc.

Page 2 of 3

China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA : Tel: (+1) 949-639-9688,

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068
(+1) 949-639-9608 Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Test Results

VSWR