





For reference only. See data sheet for the detailed specifications.


Technical Specification

EIA WR	WR229
Frequency Range(GHz)	3.30 – 4.90
Length(mm)	100
Insertion Loss(dB)	0.1 Max.
VSWR	1.05:1 Max.
Flange	FDP40(UDR40)
Material	Al
Finish	Chemical Conversion Coating, Gray Paint
Size(mm)	100 x 98.4 x 69.9
Net Weight(Kg)	0.29 Around

Outline Drawing (Size: mm)



Flange Drawing (Size: mm)



FDP40

AINFO Inc.

China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA : Tel: (+1) 949-639-9688,


Page 2 of 3

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068
(+1) 949-639-9608 Fax: (+1) 949-639-9670


Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Test Results

I.L.



VSWR



AINFO Inc.

China(Beijing):
China(Chengdu):
USA :

Tel: (+86) 10-6266-7326,
Tel: (+86) 28-8519-2786,
Tel: (+1) 949-639-9688,

(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608

Page 3 of 3

Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com