


For reference only. See data sheet for the detailed specifications.

Technical Specification



EIA WR to WR	WR15 to WR10
Frequency Range(GHz)	WR15: 50.0 - 75.0
	WR10: 75.0 – 110.0
Length(mm/inch)	35.6/1.4
Insertion Loss(dB)	0.3 Max.
VSWR	1.10:1 Max.
WR15 Flange	FUGP620(UG-385/U)
WR10 Flange	FUGP900(UG-387/U-M)
Material	Cu
Size(mm)	35.6 x 19.1 x 19.1
Net Weight(Kg)	0.03 Around

Outline Drawing (Size: mm)



AINFO Inc.


Page 1 of 3

China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA : Tel: (+1) 949-639-9688,


(+86) 10-6266-7327 Fax: (+86) 10-6266-7379
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068
(+1) 949-639-9608 Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Flange Outline Drawing (Size: mm)




FUGP620
(equivalent to UG-385/U)



FUGP900
(equivalent to UG-387/U-M)

Test Result

I.L. (Test with two transitions back to back)



VSWR

