




For reference only. See data sheet for the detailed specifications.

Technical Specification




EIA WR to WR	WR90 to WR62
Frequency Range(GHz)	WR90: 8.2 – 12.4 WR62: 12.4 – 18.0
Insertion Loss(dB)	0.1 Max.
VSWR	1.10:1 Max.
WR90 Flange	FBP100(UBR100)
WR62 Flange	FBP140(UBR140)
Material	Al
Finish	Chemical Conversion Coating, Gray Paint
Size(mm)	152.4 x 41.4 x 41.4
Net Weight(Kg)	0.18 Around


Outline Drawing (Size: mm)



Flange Outline Drawing (Size: mm)



FBP100



FBP140

AINFO Inc.

China(Beijing):
China(Chengdu):
USA :

Tel: (+86) 10-6266-7326,
Tel: (+86) 28-8519-2786,
Tel: (+1) 949-639-9688,


(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608

Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Test Result

I.L. (Test with two transitions back to back)



VSWR

