


Technical Specification



EIA WRD to WR	WRD350 to WR90
Frequency Range(GHz)	WRD350: 3.5 – 8.2
	WR90: 8.2 – 12.4
Length (mm/inch)	152.4/6
Insertion Loss(dB)	0.1 Max.
VSWR	1.15:1 Max.
WRD350 Flange	FPWRD350D24
WR90 Flange	FBP100(UBR100)
Material	Al
Size(mm)	152.4 x 69.9 x 50.8
Net Weight(Kg)	0.33 Around

Outline Drawing (Size: mm)



AINFO Inc.

Page 1 of 4

China(Beijing):
China(Chengdu):
USA :

Tel: (+86) 10-6266-7326,
Tel: (+86) 28-8519-2786,
Tel: (+1) 949-639-9688,

(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608


Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670


Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Flange Outline Drawing (Size: mm)

FPWRD350D24

(With four through mounting holes
and four screws holes)





FBP100

AINFO Inc.

Page 3 of 4


China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA : Tel: (+1) 949-639-9688,

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068
(+1) 949-639-9608 Fax: (+1) 949-639-9670


Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Test Result

Insertion Loss (Test with two transitions back to back)



VSWR



AINFO Inc.

Page 4 of 4

China(Beijing):
China(Chengdu):
USA :Tel: (+86) 10-6266-7326,
Tel: (+86) 28-8519-2786,
Tel: (+1) 949-639-9688,(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670Website: www.ainfoinc.com
Email: sales@ainfoinc.com