

For reference only. See data sheet for the detailed specifications.

Technical Specification





Frequency Range(GHz)	4.0 – 50.0
Gain(dBi)	4 Typ.
Polarization	Vertical
VSWR	2.0:1 Typ.
Connector	2.4mm-Female
Power Handling (W CW)	10 Max.
Operating Temp.(°C)	-40~+80
Material	Al
Size(mm)	80 x 80 x 82.8
Net Weight(Kg)	0.20 Around

PATENT ID (China)

ZL202220801477.X, ZL201630454726.2

Outline Drawing (Size: mm)

2.4mm-Female output (P/N: SZ-4005000/P)



AINFO Inc.

Page 1 of 20

China(Beijing):
 China(Chengdu):
 USA :



Tel: (+86) 10-6266-7326,
 Tel: (+86) 28-8519-2786,
 Tel: (+1) 949-639-9688,

(+86) 10-6266-7327
 (+86) 28-8519-3044
 (+1) 949-639-9608

Fax: (+86) 10-6266-7379
 Fax: (+86) 28-8519-3068
 Fax: (+1) 949-639-9670



Website: www.ainfoinc.com
 Email: sales@ainfoinc.com

2.4mm-Female output with Round Mounting Bracket (Option, P/N: SZ-4004000/P-MB2)




Test Results

1. Gain & Antenna Factor



2. VSWR



3. Pattern

