




For reference only. See data sheet for the detailed specifications.

Technical Specification



EIA WR	WR90
Center Frequency(GHz)	9.4
Pass Band(GHz)	9.15 – 9.65
Insertion Loss(dB)	0.6 Max.
Rejection(dB)	40 Min. @ F<8.65GHz 40 Min. @ F>10.15GHz
VSWR	1.30:1 Max.
Average Power(W CW)	200
Peak Power(KW)	43
Flange	FBP100(UBR100)
Material	Al
Size(mm)	160 x 41.4 x 41.4
Net Weight(Kg)	0.28 Around

Outline Drawing (Size: mm)



AINFO Inc.


China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA : Tel: (+1) 949-639-9688,

Page 1 of 3

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068
(+1) 949-639-9608 Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Flange Outline Drawing (Size: mm)



FBP100

AINFO Inc.

China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA : Tel: (+1) 949-639-9688,

Page 2 of 3

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068
(+1) 949-639-9608 Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Test Results

Insertion Loss (S21) & Rejection (S12) & VSWR (S11 & S22)

